

## 1. Product and Company Identification

<b>Product identifier</b>	<b>Drain Out Bathroom Drain Opener</b>
<b>Other means of identification</b>	Not available
<b>Recommended use</b>	Drain treatment
<b>Recommended restrictions</b>	None known.
<b>Manufacturer information</b>	Iron Out dba Summit Brands 7201 Engle Road Fort Wayne, IN 46804-5875 US Phone: 260-483-2519 Emergency Phone: 1-800-424-9300 (CHEMTREC)
<b>Supplier</b>	See above.

## 2. Hazards Identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 2
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		



<b>Signal word</b>	Warning	
<b>Hazard statement</b>	Causes serious eye irritation.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Wash thoroughly after handling. Wear eye protection/face protection.	
<b>Response</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
<b>Storage</b>	Store away from incompatible materials.	
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.	
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known	
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	None.	

## 3. Composition/Information on Ingredients

### Mixture

Chemical name	Common name and synonyms	CAS number	%
1,2-Propanediol		57-55-6	1-5*
1-Dodecanamine, N,N-dimethyl-,N-oxide		1643-20-5	0.1-1*
Citric Acid		77-92-9	1-5*
Hydrogen peroxide		7722-84-1	5-10*

<b>Composition comments</b>	US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
-----------------------------	--

---

## 4. First Aid Measures

---

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin contact</b>	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
<b>Eye contact</b>	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor/.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Treat patient symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

---

## 5. Fire Fighting Measures

---

<b>Suitable extinguishing media</b>	Water spray. Foam. Dry chemical. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Firefighters should wear a self-contained breathing apparatus. Decomposition releases oxygen which may intensify fire.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters should wear full protective clothing including self-contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Oxygen.

---

## 6. Accidental Release Measures

---

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewers, basements or confined areas.</p>
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

---

## 7. Handling and Storage

---

<b>Precautions for safe handling</b>	Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Avoid contact with eyes, skin and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in a closed container away from incompatible materials. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m <sup>3</sup> 1 ppm

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	155 mg/m <sup>3</sup>	Vapor and aerosol.
		10 mg/m <sup>3</sup>	Aerosol.
		50 ppm	Vapor and aerosol.
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm	

#### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m <sup>3</sup>
		1 ppm

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	PEL	1.4 mg/m <sup>3</sup>
		1 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m <sup>3</sup>
		1 ppm

#### US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	10 mg/m <sup>3</sup>	Aerosol.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields.

#### Skin protection

#### Hand protection

Rubber gloves. Confirm with a reputable supplier first.

<b>Other</b>	Wear appropriate chemical resistant clothing. As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid
<b>Color</b>	Blue
<b>Odor</b>	Citrus
<b>Odor threshold</b>	Not available.
<b>pH</b>	3 - 3.5
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	1.04
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	8.68 lb/gal
<b>Solubility(ies)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Caustics. Oxidizers. Reducing agents. Organic materials. Combustible materials.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Oxygen.

---

## 11. Toxicological Information

---

<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.

**Eye contact**

Causes serious eye damage.

**Symptoms related to the physical, chemical and toxicological characteristics**

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Information on toxicological effects****Acute toxicity**

Components	Species	Test Results
1,2-Propanediol (CAS 57-55-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours 20800 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Dog	19000 mg/kg
	Guinea pig	184000 mg/kg 19700 mg/kg
	Mouse	24900 mg/kg 23900 mg/kg
	Rabbit	14800 mg/kg
	Rat	22000 mg/kg 20000 mg/kg
1-Dodecanamine, N,N-dimethyl-,N-oxide (CAS 1643-20-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	2700 mg/kg, Sigma Aldrich
	Rat	1064 mg/kg, ECHA
Citric Acid (CAS 77-92-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	5400 mg/kg, ECHA 5040 mg/kg, HSDB
	Rat	11700 mg/kg, ECHA 6730 mg/kg, HSDB
Hydrogen peroxide (CAS 7722-84-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
	Rat	3000 - 5480 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	> 170 mg/m3, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	1270 mg/kg, ECHA

Components	Species	Test Results
		1193 mg/kg, ECHA
		1026 mg/kg, ECHA, male
		872 mg/kg, ECHA
		801 mg/kg, ECHA
		693.7 mg/kg, ECHA, female
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Canada - Alberta OELs: Irritant</b>		
Hydrogen peroxide (CAS 7722-84-1)	Irritant	
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Mutagenicity</b>	Non-hazardous by WHMIS/OSHA criteria.	
<b>Carcinogenicity</b>	Not classified or listed by NTP or OSHA.	
<b>ACGIH Carcinogens</b>		
Hydrogen peroxide (CAS 7722-84-1)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
<b>Canada - Manitoba OELs: carcinogenicity</b>		
HYDROGEN PEROXIDE (CAS 7722-84-1)	Confirmed animal carcinogen with unknown relevance to humans.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Hydrogen peroxide (CAS 7722-84-1)	Volume 36, Supplement 7, Volume 71 - 3 Not classifiable as to carcinogenicity to humans.	
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not listed.	
<b>Reproductive toxicity</b>	Non-hazardous by WHMIS/OSHA criteria.	
<b>Teratogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not available.	
<b>Chronic effects</b>	Prolonged inhalation may be harmful.	

## 12. Ecological Information

Ecotoxicity		See below	
Ecotoxicological data			
Components	Species	Test Results	
1,2-Propanediol (CAS 57-55-6)			
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/L, 96 hours

Components	Species	Test Results
Citric Acid (CAS 77-92-9)		
<i>Acute</i>		
Crustacea	EC50	Daphnia magna
		120 mg/L, 72 hr
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )
		1516 mg/L, 96 hr
Hydrogen peroxide (CAS 7722-84-1)		
Algae	IC50	Algae
		2.5 mg/L, 72 Hours
Crustacea	EC50	Daphnia
		7.7 mg/L, 48 Hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.	
<b>Bioaccumulative potential</b>	No data available.	
<b>Mobility in soil</b>	No data available.	
<b>Mobility in general</b>	Not available.	
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

### 13. Disposal Considerations

<b>Disposal instructions</b>	Review federal, state/provincial, and local government requirements prior to disposal. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport Information

<b>Transport of Dangerous Goods (TDG) Proof of Classification</b>	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
<b>U.S. Department of Transportation (DOT)</b>	Not regulated as dangerous goods.
<b>Transportation of Dangerous Goods (TDG - Canada)</b>	Not regulated as dangerous goods.

### 15. Regulatory Information

<b>Canadian federal regulations</b>	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
<b>Export Control List (CEPA 1999, Schedule 3)</b>	Not listed.
<b>Greenhouse Gases</b>	Not listed.
<b>Precursor Control Regulations</b>	Not regulated.
<b>WHMIS 2015 Exemptions</b>	Not applicable
<b>US federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
<b>TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)</b>	Not regulated.
<b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>	Not listed.
<b>US EPCRA Section 304 Extremely Haz. Subs. &amp; CERCLA Haz. Subs.: Section 304 EHS reportable quantity</b>	Hydrogen peroxide (CAS 7722-84-1) 1000 LBS
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**  
Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**  
Not regulated.

**US state regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**US - California Hazardous Substances (Director's): Listed substance**

Hydrogen peroxide (CAS 7722-84-1) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Hydrogen peroxide (CAS 7722-84-1)

**US - Minnesota Haz Subs: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.

Hydrogen peroxide (CAS 7722-84-1) Listed.

**US - New Jersey RTK - Substances: Listed substance**

1,2-Propanediol (CAS 57-55-6)

Hydrogen peroxide (CAS 7722-84-1)

**US - Texas Effects Screening Levels: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.

1-Dodecanamine, N,N-dimethyl-,N-oxide (CAS 1643-20-5) Listed.

Citric Acid (CAS 77-92-9) Listed.

Hydrogen peroxide (CAS 7722-84-1) Listed.

**US. Massachusetts RTK - Substance List**

Hydrogen peroxide (CAS 7722-84-1)

**US. New Jersey Worker and Community Right-to-Know Act**

Hydrogen peroxide (CAS 7722-84-1)

**US. Pennsylvania Worker and Community Right-to-Know Law**

1,2-Propanediol (CAS 57-55-6)

Hydrogen peroxide (CAS 7722-84-1)

**US. Rhode Island RTK**

1,2-Propanediol (CAS 57-55-6)

Hydrogen peroxide (CAS 7722-84-1)

**US. California Proposition 65**

Not Listed.

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes


\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)



## 16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



### Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

### Issue date

07-August-2018

### Version #

01

### Effective date

07-August-2018

### Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

### Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Redbook revision # 7, 5/16/18