

1. Product and Company Identification

Product identifier	Drain Out Kitchen Drain Opener		
Other means of identification	Not available		
Recommended use	Drain treatment		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	Iron Out dba Summit Brands		
Address	6714 Pointe Inverness Way Suite 200 Fort Wayne, IN 46804-7935 United States		
Telephone	Phone:	260-483-2519	
E-mail	Not available.		
Emergency phone number	Emergency Phone:	1-800-424-9300 (CHEMTREC)	

2. Hazards Identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger	
Hazard statement	Causes serious eye damage.	
Precautionary statement		
Prevention	Wear eye protection.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of container in accordance with local, regional, national and international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alcohols, C9-11, ethoxylated		68439-46-3	5-10
Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-		34398-01-1	3-7

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Treat patient symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Dry chemical. Carbon dioxide. Fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self-contained breathing apparatus.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewers, basements or confined areas.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling	Avoid prolonged exposure. Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Store in a closed container away from incompatible materials. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields.
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	Wear suitable protective clothing. As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid.
Color	Yellow
Odor	Citrus
Odor threshold	Not available.
pH	6.5 - 7.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	1
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.

Incompatible materials
Hazardous decomposition products

Acids. Oxidizers.
May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.
Skin contact May cause irritation.
Eye contact Causes serious eye damage.
Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
		2216 mg/kg, 24 Hours, ECHA
		2000 mg/kg, 24 Hours, ECHA
	Rat	> 5000 mg/kg, HMIRA
		> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 1600 mg/m ³ , 4 Hours, ECHA
		> 100 mg/m ³ , 6 hours, ECHA
		> 20 mg/L, 1 hours, Shell
		> 1.6 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5050 mg/kg, ECHA
		5130 mg/kg, ECHA
		4600 mg/kg, ECHA
		3488 mg/kg, ECHA
		1400 mg/kg, Air products
		1378 mg/kg, SAX
Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS 34398-01-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, West Penetone
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50		> 1400 mg/kg, Koch Membrane Systems
	Rabbit	> 2000 mg/kg, West Penetone
	Rat	1700 mg/kg, West Penetone
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	

Iris lesion value	Not available.
Conjunctival reddening value	Not available.
Conjunctival oedema value	Not available.
Recover days	Not available.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	Non-hazardous by OSHA criteria.
Carcinogenicity	Not classified or listed by IARC, NTP, OSHA and ACGIH.
ACGIH Carcinogens	
1,2-Ethanediol (CAS 107-21-1)	A4 Not classifiable as a human carcinogen.
1,4-Dioxane (CAS 123-91-1)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Oxirane (CAS 75-21-8)	A2 Suspected human carcinogen.
IARC Monographs. Overall Evaluation of Carcinogenicity	
1,4-Dioxane (CAS 123-91-1)	Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
Oxirane (CAS 75-21-8)	Volume 97, Volume 100F 1 Carcinogenic to humans.
US - California Proposition 65 - CRT: Listed date/Carcinogenic substance	
1,4-Dioxane (CAS 123-91-1)	
Oxirane (CAS 75-21-8)	
US. National Toxicology Program (NTP) Report on Carcinogens	
1,4-Dioxane (CAS 123-91-1)	Reasonably Anticipated to be a Human Carcinogen.
Oxirane (CAS 75-21-8)	Known To Be Human Carcinogen.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Oxirane (CAS 75-21-8)	Cancer
Reproductive toxicity	Non-hazardous by OSHA criteria.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	Not available.

12. Ecological Information

Ecotoxicity	See below		
Ecotoxicological data			
Components		Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)			
Fish		Rainbow Trout	70.7 mg/L, 96 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	6 - 12 mg/L, 96 hours
Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS 34398-01-1)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1.6 - 2.5 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	3.2 - 5 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Mobility in general	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal Considerations

Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,2-Ethanediool (CAS 107-21-1)	Listed.
1,4-Dioxane (CAS 123-91-1)	Listed.
Oxirane (CAS 75-21-8)	Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Oxirane (CAS 75-21-8)	10 LBS
-----------------------	--------

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Oxirane (CAS 75-21-8)	Cancer Reproductive toxicity Mutagenicity Central nervous system Skin sensitization Skin irritation Eye irritation respiratory tract irritation Acute toxicity Flammability
-----------------------	--

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	---

SARA 302 Extremely hazardous substance	No
---	----

SARA 311/312 Hazardous chemical	No
--	----

SARA 313 (TRI reporting)	Not regulated.
---------------------------------	----------------

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,2-Ethanediool (CAS 107-21-1)	
1,4-Dioxane (CAS 123-91-1)	
Oxirane (CAS 75-21-8)	

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Oxirane (CAS 75-21-8)	
-----------------------	--

Clean Water Act (CWA) Section 112(r) (40 CFR 68.130)	Hazardous substance
---	---------------------

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Oxirane (CAS 75-21-8) Other Flavoring Substances with OSHA PEL's

Food and Drug Administration (FDA) Not regulated.

US state regulations

US - Illinois Chemical Safety Act: Listed substance

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US - Louisiana Spill Reporting: Listed substance

1,2-Ethanediol (CAS 107-21-1) Listed.
1,4-Dioxane (CAS 123-91-1) Listed.
Oxirane (CAS 75-21-8) Listed.

US - Minnesota Haz Subs: Listed substance

1,2-Ethanediol (CAS 107-21-1) ETHYLENE GLYCOL, PARTICULATE AND VAPOR
1,4-Dioxane (CAS 123-91-1) 1,4-DIOXANE (DIETHYLENE DIOXIDE)
DIETHYLENE DIOXIDE (SEE DIOXANE)
Oxirane (CAS 75-21-8) ETHYLENE OXIDE

US - New Jersey RTK - Substances: Listed substance

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US - Washington Chemical of High Concern to Children: Listed substance

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US. New Jersey Worker and Community Right-to-Know Act

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US. Pennsylvania RTK - Hazardous Substances

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US. Rhode Island RTK

1,2-Ethanediol (CAS 107-21-1)
1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US. California Proposition 65



WARNING: This product can expose you to chemicals including 1,4-dioxane, which is known to the State of California to cause cancer, and 1,2-ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988
Oxirane (CAS 75-21-8) Listed: July 1, 1987

US - California Proposition 65 - CRT: Listed date/Developmental toxin

1,2-Ethanediol (CAS 107-21-1) Listed: June 19, 2015


Oxirane (CAS 75-21-8) Listed: August 7, 2009
US - California Proposition 65 - CRT: Listed date/Female reproductive toxin
 Oxirane (CAS 75-21-8) Listed: February 27, 1987
US - California Proposition 65 - CRT: Listed date/Male reproductive toxin
 Oxirane (CAS 75-21-8) Listed: August 7, 2009

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)		

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date	30-November-2018
Revision date	30-November-2018
Version #	02
Further information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Other information	Redbook revision # 5, 4/3/17
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021