

1. Product and Company Identification

| | |
|--------------------------------------|---|
| Product identifier | Plink Garbage Disposal Freshener & Cleaner - Fresh Lemon |
| Other means of identification | Not available |
| Recommended use | Freshener |
| Recommended restrictions | None known. |
| Manufacturer information | Iron Out dba Summit Brands 6714 Pointe Inverness Way Suite 200 Fort Wayne, IN 46804-7935 US Phone: 260-483-2519 Emergency Phone: 1-800-424-9300 (CHEMTREC) |
| Supplier | See above. |

2. Hazards Identification

| | | |
|-----------------------------------|---------------------------|------------|
| Physical hazards | Flammable liquids | Category 3 |
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Sensitization, skin | Category 1 |
| Environmental hazards | Not classified. | |
| WHMIS 2015 defined hazards | Not classified | |
| Label elements | | |



| | |
|--|--|
| Signal word | Warning |
| Hazard statement | Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. |
| Precautionary statement | |
| Prevention | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves, protective clothing, eye protection and face protection. Wash thoroughly after handling. Avoid breathing mist or vapor. Contaminated work clothing should not be allowed out of the workplace. |
| Response | In case of fire: Use appropriate media to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of container in accordance with local, regional, national and international regulations. |
| WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) | None known |
| WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) | None known |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | Not applicable. |

3. Composition/Information on Ingredients

Mixture

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--------------------------|------------|--------|
| d-Limonene | | 5989-27-5 | 65-85* |
| Lanolin | | 8006-54-0 | 3-7* |

| Chemical name | Common name and synonyms | CAS number | % |
|------------------|--------------------------|------------|--------|
| Oils, eucalyptus | | 8000-48-4 | 0.1-1* |
| Paraffin wax | | 8002-74-2 | 5-10* |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.
*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

| | |
|---|--|
| Inhalation | If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. |
| Skin contact | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this label). Wash contaminated clothing before reuse. |
| Eye contact | Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists. |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention. |
| Most important symptoms/effects, acute and delayed | Skin irritation. May cause an allergic skin reaction. Dermatitis. Rash. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Symptoms may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Keep out of reach of children. Wear suitable protective clothing. |

5. Fire Fighting Measures

| | |
|--|---|
| Suitable extinguishing media | Carbon dioxide. Foam. Dry chemical. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus. |
| Special protective equipment and precautions for firefighters | Firefighters should wear full protective clothing including self-contained breathing apparatus. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | Flammable liquid and vapor. |
| Hazardous combustion products | May include and are not limited to: Oxides of carbon. |

6. Accidental Release Measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk. Pick up and discard. Prevent entry into waterways, sewer, basements or confined areas. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

7. Handling and Storage

| | |
|--------------------------------------|--|
| Precautions for safe handling | Use only with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated skin contact with this material. Avoid breathing vapors or mists of this product. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using do not eat or drink. Wash thoroughly after handling. Use care in handling/storage. |
|--------------------------------------|--|

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value | Form |
|------------------------------|------|----------|-------|
| Glycerol (CAS 56-81-5) | TWA | 10 mg/m3 | Mist. |
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Type | Value | Form |
|------------------------------|------|---------------------|---------------------------|
| Glycerol (CAS 56-81-5) | TWA | 3 mg/m3 10 mg/m3 | Respirable mist. Mist. |
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value | Form |
|------------------------------|------|---------|-------|
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Type | Value | Form |
|------------------------------|------|----------|-------|
| Glycerol (CAS 56-81-5) | TWA | 10 mg/m3 | Mist. |
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Type | Value | Form |
|------------------------------|------|----------|-------|
| Glycerol (CAS 56-81-5) | TWA | 10 mg/m3 | Mist. |
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|------------------------|------|---------------------|-------------------------------------|
| Glycerol (CAS 56-81-5) | PEL | 5 mg/m3 15 mg/m3 | Respirable fraction. Total dust. |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|-------|
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value | Form |
|------------------------------|------|---------|-------|
| Paraffin wax (CAS 8002-74-2) | TWA | 2 mg/m3 | Fume. |

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

| Components | Type | Value |
|----------------------------|------|-----------------------|
| d-Limonene (CAS 5989-27-5) | TWA | 165.5 mg/m3 30 ppm |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Follow standard industrial hygiene practices.

Skin protection

Hand protection

Wear protective gloves.

| | |
|---------------------------------------|---|
| Other | Wear appropriate chemical resistant clothing. As required by employer code. |
| Respiratory protection | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. |
| Thermal hazards | Not applicable. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. |

9. Physical and Chemical Properties

| | |
|---|---|
| Appearance | Solid containing liquid |
| Physical state | Solid. |
| Form | Beads |
| Color | Cloudy pale yellow |
| Odor | Lemon |
| Odor threshold | Not available. |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Pour point | Not available. |
| Specific gravity | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | 111.0 - 113.0 °F (43.9 - 45.0 °C) Setaf flash |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |

10. Stability and Reactivity

| | |
|---|---|
| Reactivity | This product may react with strong oxidizing agents. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Chemical stability | Stable under recommended storage conditions. |
| Conditions to avoid | Avoid high temperatures. Do not mix with other chemicals. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. |

11. Toxicological Information

| | |
|---|---|
| Routes of exposure | Eye, Skin contact, Inhalation, Ingestion. |
| Information on likely routes of exposure | |
| Ingestion | May cause stomach distress, nausea or vomiting. |
| Inhalation | Prolonged inhalation may be harmful. |

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact May cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Skin irritation. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

| Components | Species | Test Results |
|----------------------------------|-------------------------|--|
| d-Limonene (CAS 5989-27-5) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | 5 g/kg, HSDB |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Mouse | 5600 - 6600 mg/kg, HSDB |
| | Rat | > 2000 mg/kg, ECHA 4400 mg/kg, Fisher Scientific |
| Lanolin (CAS 8006-54-0) | | |
| Acute | | |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 41800 mg/kg |
| Oils, eucalyptus (CAS 8000-48-4) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | > 5000 mg/kg, CDH |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 3320 mg/kg, Spectrum Chemical 2480 mg/kg, Spectrum Chemical |
| Paraffin wax (CAS 8002-74-2) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | > 3600 mg/kg, 24 Hours, ECHA > 4 ml/kg, 24 Hours, ECHA |
| | Rat | > 2000 mg/kg, 24 Hours, ECHA |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Dog | > 25 ml/kg, ECHA |
| | Rat | > 5000 mg/kg > 60 ml/kg, ECHA > 10 ml/kg, ECHA > 5 ml/kg, ECHA 10000 mg/kg, ECHA |
| Skin corrosion/irritation | Causes skin irritation. | |
| Exposure minutes | Not available. | |
| Erythema value | Not available. | |
| Oedema value | Not available. | |

Serious eye damage/eye irritation May cause irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening value Not available.

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Glycerol (CAS 56-81-5) Irritant

Respiratory sensitization Not available.

Skin sensitization May cause an allergic skin reaction. Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA. Non-hazardous by WHMIS/OSHA criteria.

IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5) Volume 73 - 3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components

Species

Test Results

d-Limonene (CAS 5989-27-5)

Aquatic

Crustacea EC50 Water flea (*Daphnia pulex*) 69.6 mg/L, 48 hours

Fish LC50 Fathead minnow (*Pimephales promelas*) 0.619 - 0.796 mg/L, 96 hours

Glycerol (CAS 56-81-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 51000 - 57000 mg/L, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

General

DOT - 49 CFR 173.150 (f) - Combustible Liquid Exemption

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

| | |
|-----------------------------|--------------------------|
| UN number | UN1993 |
| Proper shipping name | FLAMMABLE LIQUID, N.O.S. |
| Technical name | d-Limonene |
| Hazard class | 3 |
| Packing group | III |
| Special provisions | 16, 150 |
| Packaging exceptions | <5L - Limited Quantity |

TDG



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

| | |
|----------------------------|----------|
| d-Limonene (CAS 5989-27-5) | 1 TONNES |
|----------------------------|----------|

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - Yes
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance
Paraffin wax (CAS 8002-74-2) Listed.

US - Minnesota Haz Subs: Listed substance
Glycerol (CAS 56-81-5) Listed.
Paraffin wax (CAS 8002-74-2) Listed.

US - New Jersey RTK - Substances: Listed substance
Glycerol (CAS 56-81-5)
Paraffin wax (CAS 8002-74-2)

US - Texas Effects Screening Levels: Listed substance
d-Limonene (CAS 5989-27-5) Listed.
Glycerol (CAS 56-81-5) Listed.
Lanolin (CAS 8006-54-0) Listed.
Oils, eucalyptus (CAS 8000-48-4) Listed.
Paraffin wax (CAS 8002-74-2) Listed.

US. Massachusetts RTK - Substance List
Glycerol (CAS 56-81-5)
Paraffin wax (CAS 8002-74-2)

US. New Jersey Worker and Community Right-to-Know Act
Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law
Glycerol (CAS 56-81-5)
Lanolin (CAS 8006-54-0)
Paraffin wax (CAS 8002-74-2)

US. Rhode Island RTK
Glycerol (CAS 56-81-5)
Lanolin (CAS 8006-54-0)
Paraffin wax (CAS 8002-74-2)

US. California Proposition 65
California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|---------------------|-----|
| HEALTH | * 2 |
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | X |



Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date

24-January-2019

Version #

03

Effective date

18-June-2018

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

For an updated SDS, please contact the supplier/manufacture listed on the first page of the document.

Redbook revision # 6, 5/14/18