

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	Super Iron Out Outdoor		
Other means of identification	Not available		
Recommended use	Rust Stain Remover		
Recommended restrictions	None known.		
Manufacturer information	Iron Out dba Summit Brands 6714 Pointe Inverness Way		
	Suite 200		
	Fort Wayne, IN 46804-7935 US Phone: 260-483-2519		
	Emergency Phone: 1-800-424-9300 (CF	HEMTREC)	
Supplier	See above.		
	2. Hazards Identific	cation	
Physical hazards	Corrosive to metals	Category 1	
Health hazards	Skin corrosion/irritation	Category 1	
	Serious eye damage/eye irritation	Category 1	
Environmental hazards	Not classified.		
WHMIS 2015 defined hazards	Not classified		
Label elements			
	$\mathbf{\wedge}$		
	$\mathbf{\vee}$		
Signal word	Danger		
Hazard statement	May be corrosive to metals. Causes sev	vere skin burns and eye damage.	
Precautionary statement			
Prevention	Keep only in original packaging. Do not Wear protective gloves, protective clothing	breathe mist or vapor. Wash thoroughly after handling. ing, eye protection and face protection.	
Response	Absorb spillage to prevent material-damage.		
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or		
		tion on this label). Wash contaminated clothing before	
	reuse. IF INHALED: Remove person to fresh a	hir and keep comfortable for breathing	
	Immediately call a POISON CENTER of		
		r for several minutes. Remove contact lenses, if present	
	and easy to do. Continue rinsing.		
Storage	•	sistant container with a resistant inner liner.	
Disposal		local, regional, national and international regulations.	
WHMIS 2015: Health Hazard(s) not otherwise classified	None known		
(HHNOC)			
WHMIS 2015: Physical	None known		
Hazard(s) not otherwise			
classified (PHNOC)			
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		
••	3. Composition/Information	on Ingredients	
	o. composition/information		
Mixture	Common		
Chemical name	Common name and synonyms	CAS number %	

#20363

Ethanedioic acid, dihydrate

3 - 7*

6153-56-6

trade secret.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

	4. First Aid Measures		
Inhalation	IF INHALED: Remove person to fresh air and keep cor POISON CENTER or doctor.	nfortable for breathing. Immediately call a	
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Was contaminated clothing before reuse. Specific treatment (see information on this label). Immediate call a POISON CENTER or doctor.		
Eye contact	IF IN EYES: Rinse cautiously with water for several min and easy to do. Continue rinsing. Immediately call a PC		
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiti doctor.	ing. Immediately call a POISON CENTER or	
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Cause include stinging, tearing, redness, swelling, and blurred blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat sympto	matically. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the materia protect themselves. If you feel unwell, seek medical ad this safety data sheet to the doctor in attendance. Avoir gloves and chemical splash goggles. Keep out of reach	vice (show the label where possible). Show d contact with eyes and skin. Wear rubber	
	5. Fire Fighting Measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide	е.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spre	ead the fire.	
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing app	paratus.	
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing includin	g self-contained breathing apparatus.	
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without	t risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
Hazardous combustion products	May include and are not limited to: Oxides of carbon. F	ormic acid	
	6. Accidental Release Measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low ar spill/leak. Wear appropriate protective equipment and c mist or vapor. Do not touch damaged containers or spil protective clothing. Ensure adequate ventilation. Local spillages cannot be contained. For personal protection,	clothing during clean-up. Do not breathe lled material unless wearing appropriate authorities should be advised if significant	
Methods and materials for	Stop the flow of material, if this is without risk. Should r	not be released into the environment.	
containment and cleaning up	Large Spills: Dike the spilled material, where this is posspreading. Absorb spillage to prevent material damage and place into containers. Prevent entry into waterways Following product recovery, flush area with water.	. Absorb in vermiculite, dry sand or earth	
	Small Spills: Wipe up with absorbent material (e.g. clot remove residual contamination.	h, fleece). Clean surface thoroughly to	
Environmental precautions	Never return spills to original containers for re-use. For Prevent further leakage or spillage if safe to do so. Do drains, water courses or onto the ground. Do not disch- waters.	not contaminate water. Avoid discharge into	
	7. Handling and Storage		
Precautions for safe handling	Use only with adequate ventilation. Avoid contact with exposure. Observe good industrial hygiene practices. V breathing vapors or mists of this product.		
#20363	Page: 2 of 9	Issue date 30-November-2018	

Store locked up. Protect from sunlight. Store in a corrosion resistant container with a resistant inner liner. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children. Store in a cool, dry, well-ventilated place away from incompatible materials.

8. Exposure Controls/Personal Protection

Canada. Alberta OELs (Occupation Components	Туре	Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3
	TWA	1 mg/m3
Canada. British Columbia OELs. ((Safety Regulation 296/97, as amen		ure Limits for Chemical Substances, Occupational Health and
Components	Туре	Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3
	TWA	1 mg/m3
Canada. Manitoba OELs (Reg. 217) Components	2006, The Workplac Type	e Safety And Health Act) Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3
	TWA	1 mg/m3
Canada. Ontario OELs. (Control of Components	Exposure to Biologi Type	ical or Chemical Agents) Value
Ethanedioic acid, dihydrate	STEL	2 mg/m3
(CAS 6153-56-6)	TWA	1 mg/m3
		-
Canada. Quebec OELs. (Ministry o Components	f Labor - Regulation Type	Respecting the Quality of the Work Environment) Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3
	TWA	1 mg/m3
US. OSHA Table Z-1 Limits for Air Components	Contaminants (29 Cl Type	FR 1910.1000) Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	PEL	1 mg/m3
US. ACGIH Threshold Limit Values	5	
Components	Туре	Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3
	TWA	1 mg/m3
US. NIOSH: Pocket Guide to Chem	ical Hazards	
Components	Туре	Value
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3
	TWA	1 mg/m3
ogical limit values No bi	ological exposure limi	ts noted for the ingredient(s).
osure guidelines		
Canada - Manitoba OELs: Skin des	signation	
Hydrogen fluoride (CAS 7664-39		Can be absorbed through the skin.
Canada - Ontario OELs: Skin desig Hydrogen fluoride (CAS 7664-39		Can be absorbed through the skin.
US ACGIH Threshold Limit Values		
Hydrogen fluoride (CAS 7664-39	9-3)	Can be absorbed through the skin.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	As required by employer code. Use of an impervious apron is recommended.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid
Color	Colorless
Odor	Odorless
Odor threshold	Not available.
pН	< 1
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.02
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and Reactivity


Reactivity	Oxalic acid is a mild reducing agent and is easily oxidized. Reacts vigorously with alkaline material. This product may react with reducing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	High temperatures. Reacts violently with strong alkaline substances. This product may react with reducing agents. Do not mix with other chemicals.

Incompatible materials	Strong oxidizing agents. Acids. Reducing agents. Alkaline materials. Chlorites Combustible materials. Caustics.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Formic acid

11. Toxicological Information


		gical information	
Routes of exposure	Eye, Skin contact, Skin abs	orption, Inhalation, Inges	stion.
Information on likely routes of ex	xposure		
Ingestion	Causes digestive tract burn	S.	
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Causes severe skin burns.		
Eye contact	Causes serious eye damage.		
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Information on toxicological effe	cts		
Acute toxicity			
Components	Species		Test Results
Ethanedioic acid, dihydrate (CAS 6	•		
Acute			
Dermal			
LD50	Rabbit		20000 mg/kg, European Agency for the
			Evaluation of Medicinal Products
Inhalation			
LD50	Not available		
Oral			
LD50	Rat		375 mg/kg, Toxicology and Applied Pharmacology
			9.5 ml/kg, ECHA
			7.5 ml/kg, ECHA
			1.1 ml/100g, ECHA
Skin corrosion/irritation	Causes severe skin burns a	ind eye damage.	
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye irritation	Causes serious eye damag	е.	
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Canada - Alberta OELs: Irrita	ant		
Ethanedioic acid, dihydrat	te (CAS 6153-56-6)	Irritant	
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected	to cause skin sensitiza	tion.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Carcinogenicity	Not classified or listed by IA	RC, NTP, OSHA and A	CGIH.
IARC Monographs. Overall E	Evaluation of Carcinogenici	ty	
Hydrogen fluoride (CAS 7		-	nent 7 - 3 Not classifiable as to carcinogenicit
US. OSHA Specifically Regu Not listed.	lated Substances (29 CFR ²	to humans. I910.1001-1050)	
NOT IISTOU.			
Reproductive toxicity	Non-hazardous by WHMIS/	OSHA criteria.	

Teratogenicity	Non-hazardo	ous by WHMIS/OSHA criteria	l.	
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classifie	d.		
Aspiration hazard	Not available	e.		
Chronic effects	Prolonged in	nhalation may be harmful.		
		12. Ecological Inform	nation	
Ecotoxicity		the low pH of this product, it v aquatic organisms and aqua	would be expected to produce significant ecotoxicity upon tic systems.	
Ecotoxicological data Components		Species	Test Results	
Ethanedioic acid, dihydrate (CAS 6	6153-56-6)			
Crustacea	EC50	Daphnia	137.5 mg/L, 48 Hours	
Aquatic				
Crustacea	EC50	Water flea (Daphnia magi	na) 125 - 150 mg/L, 48 hours	
Persistence and degradability	No data is a	vailable on the degradability	of this product.	
Bioaccumulative potential	No data ava	v ,		
Mobility in soil	No data ava	ilable.		
Mobility in general	Not available	e.		
Other adverse effects			e.g. ozone depletion, photochemical ozone creation rming potential) are expected from this component.	
		13. Disposal Conside	rations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	-	accordance with all applicable	regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.			
		14. Transport Inform	ation	
Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.			
U.S. Department of Transportation				
Basic shipping requirement				
UN number Proper shipping name	UN1760 Corrosive lig	uuids nos		
Technical name		acid, dihydrate		
Hazard class	8			
Subsidiary hazard class	Limited Qua	ntity - US		
Packing group				
Special provisions Packaging exceptions Transportation of Dangerous Go		s - Limited Quantity		
Basic shipping requirement	-	anadaj		
UN number	S: UN1760			
Proper shipping name		E LIQUID, N.O.S.		
Technical name	Ethanedioic acid, dihydrate			
	Ethaneoloic	8		
Hazard class	8			
	8	ntity - Canada		



	ction 112(r) Accidental Release	Prevention (40 CFR 68.130)
Hydrogen fluoride (0 US state regulations	This product does not conta	ain a chemical known to the State of California to cause cancer, birth
US California Har	defects or other reproductiv	
Ethanedioic aci Hydrofluorosilic Hydrogen fluori US - Illinois Chemi	ardous Substances (Director's): d, dihydrate (CAS 6153-56-6) ic acid (CAS 16961-83-4) de (CAS 7664-39-3) cal Safety Act: Listed substance de (CAS 7664-39-3)	Listed. Listed. Listed.
US - Louisiana Spi	Il Reporting: Listed substance	
, ,	de (CAS 7664-39-3) z Subs: Listed substance	Listed.
Hydrofluorosilic Hydrogen fluori US - New Jersey R	d, dihydrate (CAS 6153-56-6) ic acid (CAS 16961-83-4) de (CAS 7664-39-3) TK - Substances: Listed substar d, dihydrate (CAS 6153-56-6)	Listed. Listed. Listed.
Hydrofluorosilic Hydrogen fluori	ic acid (CAS 16961-83-4) de (CAS 7664-39-3)	ous Substances: Listed substance
Hydrogen fluori	de (CAS 7664-39-3) a Toxic Air Pollutants: Listed sul	Listed.
Hydrogen fluori	ic acid (CAS 16961-83-4) de (CAS 7664-39-3) Screening Levels: Listed subst a	ance
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)Listed.Ethanedioic acid, dihydrate (CAS 6153-56-6)Listed.Hydrofluorosilicic acid (CAS 16961-83-4)Listed.Hydrogen fluoride (CAS 7664-39-3)Listed.US. Massachusetts RTK - Substance ListListed.		Listed. Listed. Listed.
Hydrofluorosilic Hydrogen fluori	d, dihydrate (CAS 6153-56-6) ic acid (CAS 16961-83-4) de (CAS 7664-39-3) orker and Community Right-to-K	now Act
, ,	de (CAS 7664-39-3) Norker and Community Right-to	-Know Law
Hydrofluorosilic	d, dihydrate (CAS 6153-56-6) ic acid (CAS 16961-83-4) de (CAS 7664-39-3) RTK	
	d, dihydrate (CAS 6153-56-6) de (CAS 7664-39-3)	
US. California Proposit	ion 65	
	king Water and Toxic Enforcement ntly listed as carcinogens or reproc	Act of 1986 (Proposition 65): This material is not known to contain ductive toxins.
Inventory status		
Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (
Canada	Non-Domestic Substances	
United States & Puerto F		

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)



Disclaimer	The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.
Issue date	30-November-2018
Version #	02
Effective date	24-January-2018
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
	Redbook revision # 8, 12/5/16