

## 1. Identification

<b>Product identifier</b>	<b>OUT Pro Wash</b>
<b>Other means of identification</b>	
<b>Synonyms</b>	Odor Eliminator Detergent
<b>Recommended use</b>	Active Wear Detergent
<b>Recommended restrictions</b>	None known.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Manufacturer</b>	
<b>Company name</b>	Iron Out dba Summit Brands
<b>Address</b>	6714 Pointe Inverness Way, Suite 200 Fort Wayne, IN 46804-7935 United States
<b>Telephone</b>	260-483-2519
<b>E-mail</b>	Not available.
<b>Emergency phone number</b>	1-800-424-9300 (CHEMTREC)
<b>Supplier</b>	See above.

## 2. Hazard identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		



<b>Signal word</b>	Danger	
<b>Hazard statement</b>	Causes serious eye damage. Causes skin irritation.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Wash thoroughly after handling. Wear protective gloves. Wear eye protection.	
<b>Response</b>	IF ON SKIN: Wash with plenty of water. Specific treatment (see information on this label). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
<b>Storage</b>	Store away from incompatible materials.	
<b>Disposal</b>	Dispose of container in accordance with local, regional, national and international regulations.	
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known	
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	None.	

## 3. Composition/Information on ingredients

### Mixture

<b>Chemical name</b>	<b>Common name and synonyms</b>	<b>CAS number</b>	<b>%</b>
Alcohols, C6-10, ethoxylated propoxylated		68987-81-5	1-5*

Chemical name	Common name and synonyms	CAS number	%
Alcohols, C9-11, ethoxylated		68439-46-3	1-5*
Benzenesulfonic acid, C10-16-alkyl derivatives, potassium salts		68584-27-0	5-10*
Hydrogen peroxide		7722-84-1	1-5*
Monoethanolamine		141-43-5	0.1-1*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.  
\*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin contact</b>	IF ON SKIN: Wash with plenty of water. Specific treatment (see information on this label). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Dry chemical powder. Foam. Water fog. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Firefighters should wear a self-contained breathing apparatus.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters should wear full protective clothing including self-contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of sulphur. Oxides of carbon.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk.  Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Use only with adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. When using do not eat or drink. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Keep container tightly closed. Avoid breathing vapors or mists of this product. Avoid contact with eyes, skin and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in a closed container away from incompatible materials. Keep out of reach of children.

## 8. Exposure controls/Personal protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m <sup>3</sup>
		1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	15 mg/m <sup>3</sup>
		6 ppm
	TWA	7.5 mg/m <sup>3</sup> 3 ppm

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

#### Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m <sup>3</sup>
		1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	15 mg/m <sup>3</sup>
		6 ppm
	TWA	7.5 mg/m <sup>3</sup> 3 ppm

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	15 minute	2 ppm
	8 hour	1 ppm
Monoethanolamine (CAS 141-43-5)	15 minute	6 ppm

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)**

Components	Type	Value
	8 hour	3 ppm

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	PEL	1.4 mg/m <sup>3</sup> 1 ppm
Monoethanolamine (CAS 141-43-5)	PEL	6 mg/m <sup>3</sup> 3 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m <sup>3</sup> 1 ppm
Monoethanolamine (CAS 141-43-5)	STEL	15 mg/m <sup>3</sup> 6 ppm
	TWA	8 mg/m <sup>3</sup> 3 ppm

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields.

**Skin protection****Hand protection**

Rubber gloves. Confirm with a reputable supplier first.

**Other**

Wear appropriate chemical resistant clothing. As required by employer code.

**Respiratory protection**

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

**Thermal hazards**

Not applicable.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.

---

## 9. Physical and chemical properties

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Blue
<b>Odor</b>	Mountain air
<b>Odor threshold</b>	Not available.
<b>pH</b>	3.5 - 4
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.

<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.028
<b>Solubility(ies)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

---

## 10. Stability and reactivity

---

<b>Reactivity</b>	This product may react with strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of sulphur. Oxides of carbon.

---

## 11. Toxicological information

---

<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
<b>Information on toxicological effects</b>	
<b>Acute toxicity</b>	

Components	Species	Test Results
Alcohols, C6-10, ethoxylated propoxylated (CAS 68987-81-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, BASF
<i>Inhalation</i>		
LC50	Rat	> 50 mg/l/4h, BASF
<i>Oral</i>		
LD50	Rat	2380 mg/kg, BASF

Components	Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 1600 mg/m3, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	3488 mg/kg, ECHA
Benzenesulfonic acid, C10-16-alkyl derivatives, potassium salts (CAS 68584-27-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Not available	
Hydrogen peroxide (CAS 7722-84-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 170 mg/m3, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	1026 mg/kg, ECHA, male 693.7 mg/kg, ECHA, female
Monoethanolamine (CAS 141-43-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	2504 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 1.5 mg/L, 6 Hours, ECHA
<i>Oral</i>		
LD50	Rat	1089 mg/kg, ECHA
<b>Skin corrosion/irritation</b>	Causes skin irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Canada - Alberta OELs: Irritant</b>		
Hydrogen peroxide (CAS 7722-84-1)		Irritant
Monoethanolamine (CAS 141-43-5)		Irritant
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Mutagenicity</b>	Non-hazardous by WHMIS/OSHA criteria.	
<b>Carcinogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.	

## ACGIH Carcinogens

Hydrogen peroxide (CAS 7722-84-1)

A3 Confirmed animal carcinogen with unknown relevance to humans.

## California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)

Diethanolamine (CAS 111-42-2)

Ethylene oxide (CAS 75-21-8)

Propylene oxide (CAS 75-56-9)

## Canada - Manitoba OELs: carcinogenicity

Hydrogen peroxide (CAS 7722-84-1)

Confirmed animal carcinogen with unknown relevance to humans.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen peroxide (CAS 7722-84-1)

Volume 36, Supplement 7, Volume 71 - 3 Not classifiable as to carcinogenicity to humans.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

<b>Reproductive toxicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Teratogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not available.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** See below

### Ecotoxicological data

#### Components

		Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)			
Fish		Rainbow Trout	70.7 mg/L, 96 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	6 - 12 mg/L, 96 hours
Hydrogen peroxide (CAS 7722-84-1)			
Algae	IC50	Algae	2.5 mg/L, 72 Hours
Crustacea	EC50	Daphnia	7.7 mg/L, 48 Hours
Monoethanolamine (CAS 141-43-5)			
Algae	IC50	Algae	15 mg/L, 72 Hours
Crustacea	EC50	Daphnia	65 mg/L, 48 Hours
<b>Aquatic</b>			
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/L, 96 hours

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Mobility in general** Not available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

**Transport of Dangerous Goods (TDG) Proof of Classification**

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**General**

Canada:  
Not dangerous goods  
Marine Pollutants Exemption. 1.45.1. : Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply to substances that are classified as marine pollutants in accordance with section 2.43 of Part 2, Classification, if they are in transport solely on land by road vehicle or railway vehicle. However, substances may be identified as marine pollutants on a shipping document and the required dangerous goods safety marks may be displayed when they are in transport by road or railway vehicle. (SOR/2008-34, s. 23)

## US: DOT:

Not dangerous goods  
CFR 171.4: (1) Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft. (2) Single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other requirements of this subchapter provided the packagings meet the general requirements in §§173.24 and 173.24a. This exception does not apply to marine pollutants that are a hazardous waste or a hazardous substance. In the case of marine pollutants also meeting the criteria for inclusion in another hazard class, all provisions of this subchapter relevant to any additional hazards continue to apply.

**U.S. Department of Transportation (DOT)**


Not regulated as dangerous goods.

**Transportation of Dangerous Goods (TDG - Canada)**

Not regulated as dangerous goods.

**IMDG (Marine Transport)****Basic shipping requirements:**

<b>UN number</b>	UN3082
<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>Hazard class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Yes

**IMDG**

## 15. Regulatory information

**Canadian federal regulations**

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions**

Not applicable

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.



**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Hydrogen peroxide (CAS 7722-84-1) 1000 LBS

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance** No**SARA 311/312 Hazardous chemical** Yes**Classified hazard categories** Skin corrosion or irritation  
Serious eye damage or eye irritation**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Clean Water Act (CWA) Section 112(r) (40 CFR 68.130)** Hazardous substance**US state regulations****US - California Hazardous Substances (Director's): Listed substance**

Hydrogen peroxide (CAS 7722-84-1) Listed.

Monoethanolamine (CAS 141-43-5) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Hydrogen peroxide (CAS 7722-84-1)

**US - Minnesota Haz Subs: Listed substance**

Hydrogen peroxide (CAS 7722-84-1) Listed.

Monoethanolamine (CAS 141-43-5) Listed.

**US - Texas Effects Screening Levels: Listed substance**

Alcohols, C6-10, ethoxylated propoxylated (CAS 68987-81-5) Listed.

Alcohols, C9-11, ethoxylated (CAS 68439-46-3) Listed.

Hydrogen peroxide (CAS 7722-84-1) Listed.

Monoethanolamine (CAS 141-43-5) Listed.

**US. Massachusetts RTK - Substance List**

Hydrogen peroxide (CAS 7722-84-1)

Monoethanolamine (CAS 141-43-5)

**US. New Jersey Worker and Community Right-to-Know Act**

Hydrogen peroxide (CAS 7722-84-1)

Monoethanolamine (CAS 141-43-5)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Hydrogen peroxide (CAS 7722-84-1)

Monoethanolamine (CAS 141-43-5)

**US. Rhode Island RTK**

Hydrogen peroxide (CAS 7722-84-1)

Monoethanolamine (CAS 141-43-5)

**US. California Proposition 65****WARNING:** This product can expose you to chemicals including propylene oxide, which is known to the State of California to cause cancer, and sulphur dioxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**California Proposition 65 - CRT: Listed date/Carcinogenic substance**

1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988

Diethanolamine (CAS 111-42-2) Listed: June 22, 2012

Ethylene oxide (CAS 75-21-8) Listed: July 1, 1987

Propylene oxide (CAS 75-56-9) Listed: October 1, 1988

**California Proposition 65 - CRT: Listed date/Developmental toxin**

Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

Sulfur dioxide (CAS 7446-09-5) Listed: July 29, 2011  
**California Proposition 65 - CRT: Listed date/Female reproductive toxin**  
 Ethylene oxide (CAS 75-21-8) Listed: February 27, 1987  
**California Proposition 65 - CRT: Listed date/Male reproductive toxin**  
 Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	/ 2
<b>FLAMMABILITY</b>	0
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X



**Disclaimer**

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

**Issue date**

25-February-2021

**Version #**

05

**Effective date**

22-August-2018

**Prepared by**

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

**Further information**

Not available.

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Redbook revision # 4, 12/4/16