

SAFETY DATA SHEET

1. Identification

Super Iron Out Outdoor Product identifier

Other means of identification Not available. Recommended use Rust Stain Remover

Recommended restrictions None known

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Iron Out dba Summit Brands Company name

Address 6714 Pointe Inverness Way, Suite 200

Fort Wayne, IN 46804-7935

United States

Telephone 260-483-2519 E-mail Not available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

See above. Supplier

2. Hazard identification

Physical hazards Corrosive to metals Category 1 **Health hazards** Skin corrosion/irritation Category 1 Category 1

Serious eye damage/eye irritation

Environmental hazards Not classified. WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement May be corrosive to metals. Causes severe skin burns and eye damage.

Precautionary statement

Prevention Keep only in original packaging. Do not breathe mist or vapor. Wash thoroughly after handling.

Wear protective gloves, protective clothing, eye protection and face protection.

Absorb spillage to prevent material-damage. IF SWALLOWED: Rinse mouth. Do NOT induce Response

vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store in a corrosion resistant container with a resistant inner liner. Store locked up.

Dispose of container in accordance with local, regional, national and international regulations. **Disposal**

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known.

None known

None known

Supplemental information None.

3. Composition/Information on ingredients

Mixture

#20363 Page: 1 of 8 Issue date 19-January-2024

Chemical name	Common name and synonyms	CAS number	%
Ethanedioic acid, dihydrate		6153-56-6	3 - 7*
All concentrations are in percent b	y weight unless ingredient is a gas. Gas concen	trations are in percent by volui	me.
Composition comments	US GHS: The exact percentage (concentration secret in accordance with paragraph (i) of §19 CANADA GHS: The exact percentage (concentrate) secret.	10.1200.	
	4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.		
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Specific treatment (see information on this label). Immediately call a POISON CENTER or doctor.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.		
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT indu doctor.	OT induce vomiting. Immediately call a POISON CENTER or	
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea	at symptomatically. Symptoms	may be delayed.
General information	Ensure that medical personnel are aware of the protect themselves. If you feel unwell, seek medical this safety data sheet to the doctor in attendar gloves and chemical splash goggles. Keep our	edical advice (show the label whoce. Avoid contact with eyes a	vhere possible). Show
	5. Fire-fighting measure	es es	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.		
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self-contained breathing apparatus.		thing apparatus.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and cons		ved materials.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Formic acid		
	6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out spill/leak. Wear appropriate protective equipm mist or vapor. Do not touch damaged contained protective clothing. Ensure adequate ventilation spillages cannot be contained. For personal p	ent and clothing during clean- ers or spilled material unless w on. Local authorities should be	up. Do not breathe earing appropriate advised if significant
Methods and materials for	Stop the flow of material, if this is without risk.	Should not be released into the	e environment.
containment and cleaning up	Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean surfa	ace thoroughly to
Environmental precautions	Never return spills to original containers for re Prevent further leakage or spillage if safe to de drains, water courses or onto the ground. Do waters.	o so. Do not contaminate wate	r. Avoid discharge into

#20363 Page: 2 of 8 Issue date 19-January-2024

waters.

cautions for safe handling	Use only with adequate ventilation. Avoid breathing vapors or mists of this product. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Observe good industrial hygiene practices.				
nditions for safe storage, uding any incompatibilities	ions for safe storage, Store locked up. Protect from sunlight. Store in a corrosion resistant container with a resistant				
	8. Exposure controls/Pers	sonal protection			
cupational exposure limits					
•	upational Health & Safety Code, Sch	edule 1, Table 2)			
Components	Туре	Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3			
	TWA	1 mg/m3			
Safety Regulation 296/97, as		for Chemical Substances, Occupational Health and			
Components	Туре	Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3			
	TWA	1 mg/m3			
Canada. Manitoba OELs (Re Components	g. 217/2006, The Workplace Safety A Type	and Health Act) Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3			
	TWA	1 mg/m3			
Canada. New Brunswick Recomponents	gulation 91-191, as amended Type	Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3			
	TWA	1 mg/m3			
	trol of Exposure to Biological or Che	emical Agents) Value			
Components Etherodicio acid, dibudrata	Type				
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL TWA	2 mg/m3 1 mg/m3			
		· ·			
Components	Туре	of Labor - Regulation respecting occupational health and safety) Type Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	STEL	2 mg/m3			
	TWA	1 mg/m3			
Canada. Saskatchewan OEL Components	s (Occupational Health and Safety R Type	egulations, 2020. S-15.1 Reg. 10. Table 18) Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	15 minute	2 mg/m3			
US. OSHA Table Z-1 Limits to Components	or Air Contaminants (29 CFR 1910.16 Type	000) Value			
Ethanedioic acid, dihydrate (CAS 6153-56-6)	PEL	1 mg/m3			
US. ACGIH Threshold Limit Components	Values Type	Value			
Ethanedioic acid, dihydrate	STEL	2 mg/m3			
(CAS 6153-56-6)	TWA	1 mg/m3			
		-			

7. Handling and storage

US. NIOSH: Pocket Guide to Chemical Hazards

Value Components Ethanedioic acid, dihydrate STEL 2 mg/m3 (CAS 6153-56-6) TWA 1 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Impervious gloves. Confirm with reputable supplier first. Hand protection

As required by employer code. Use of an impervious apron is recommended. Other

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Thermal hazards Not applicable.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants.

9. Physical and chemical properties

Clear **Appearance Physical state** Liquid. Liquid **Form** Color Colorless Odor Odorless Odor threshold Not available.

< 1 рH

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Specific gravity Flash point Not available. Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure Not available. Vapor density Not available.

1.02 Relative density

Not available. Solubility(ies) Not available. Partition coefficient (n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available.

Other information

Viscosity

Pour point Not available. 10. Stability and reactivity

Oxalic acid is a mild reducing agent and is easily oxidized. Reactivity

> Reacts vigorously with alkaline material. This product may react with reducing agents. Hazardous polymerization does not occur.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

Chemical stability Conditions to avoid

High temperatures. Reacts violently with strong alkaline substances. This product may react with

reducing agents. Do not mix with other chemicals.

Incompatible materials Strong oxidizing agents. Acids. Reducing agents. Alkaline materials. Chlorites Combustible

materials. Caustics.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Formic acid

11. Toxicological information

Eye, Skin contact, Skin absorption, Inhalation, Ingestion. Routes of exposure

Information on likely routes of exposure

Causes digestive tract burns. Ingestion

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Ethanedioic acid, dihydrate (CAS 6153-56-6)

Acute

Dermai

Rabbit LD50 20000 mg/kg, ECHA

Inhalation

LD50 Not available

Oral

LD50 Rat 375 mg/kg, ECHA

> 9.5 ml/kg, ECHA, male 7.5 ml/kg, ECHA, female

Skin corrosion/irritation Causes severe skin burns and eye damage.

Exposure minutes Not available. Not available. Erythema value Not available. Oedema value

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available. Iris lesion value Not available Conjunctival reddening Not available.

value

Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Ethanedioic acid, dihydrate (CAS 6153-56-6) Irritant

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

#20363 Page: 5 of 8 Issue date 19-January-2024

Not classified or listed by IARC, NTP, OSHA and ACGIH. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Non-hazardous by WHMIS/OSHA criteria. Reproductive toxicity Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity**

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon **Ecotoxicity**

exposure to aquatic organisms and aquatic systems.

Ecotoxicological data

Components **Species Test Results**

Ethanedioic acid, dihydrate (CAS 6153-56-6)

Crustacea FC50 Daphnia 137.5 mg/L, 48 Hours

Aquatic

EC50 Crustacea Water flea (Daphnia magna) 125 - 150 mg/L, 48 hours No data is available on the degradability of this product.

Persistence and degradability

Bioaccumulative potential No data available. No data available. Mobility in soil Not available. Mobility in general

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material **Disposal instructions**

> and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN1760

Proper shipping name Corrosive liquids, n.o.s. **Technical name** Ethanedioic acid, dihydrate

Hazard class

Subsidiary hazard class Limited Quantity - US

Packing group Ш

Special provisions IB3, T7, TP1, TP28

Packaging exceptions <1.3 Gallons - Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN1760 UN number

#20363 Page: 6 of 8 Issue date 19-January-2024 Proper shipping name CORROSIVE LIQUID, N.O.S. **Technical name** Ethanedioic acid, dihydrate


Hazard class

Subsidiary hazard class Limited Quantity - Canada

Ш Packing group **Special provisions** 16

<5L - Limited Quantity Packaging exceptions

DOT



15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (SOR/2015-17) and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely No

hazardous substance

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Corrosive to metal Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

categories

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#20363 Page: 7 of 8 Issue date 19-January-2024

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Ethanedioic acid, dihydrate (CAS 6153-56-6) Listed

US - Minnesota Haz Subs: Listed substance

Ethanedioic acid, dihydrate (CAS 6153-56-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Ethanedioic acid, dihydrate (CAS 6153-56-6) Listed.

US. Massachusetts RTK - Substance List

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. New Jersey Worker and Community Right-to-Know Act

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. Rhode Island RTK

Ethanedioic acid, dihydrate (CAS 6153-56-6)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date 19-January-2024

Version # 04

Effective date 19-January-2024

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Redbook revision #8, 12/5/16