



1. Identification Plink Garbage Disposal Freshener & Cleaner - Citrus Orange **Product identifier** Other means of identification Not available. Recommended use Freshener **Recommended restrictions** None known Manufacturer/Importer/Supplier/Distributor information Manufacturer Iron Out dba Summit Brands Company name 6714 Pointe Inverness Way, Suite 200 Address Fort Wayne, IN 46804-7935 United States Telephone 260-483-2519 Not available. E-mail 1-800-424-9300 (CHEMTREC) **Emergency phone number** Supplier See above. 2. Hazard identification **Physical hazards** Flammable liquids Category 3 Health hazards Skin corrosion/irritation Category 2 Sensitization. skin Category 1 **Environmental hazards** Not classified. Not classified WHMIS 2015 defined hazards Label elements Signal word Warning **Hazard statement** Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. **Precautionary statement** Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves, protective clothing, eye protection and face protection. Wash thoroughly after handling. Avoid breathing mist or vapor. Contaminated work clothing should not be allowed out of the workplace. In case of fire: Use appropriate media to extinguish. Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep cool. Storage Disposal Dispose of container in accordance with local, regional, national and international regulations. WHMIS 2015: Health Hazard(s) None known not otherwise classified (HHNOC) WHMIS 2015: Physical None known Hazard(s) not otherwise classified (PHNOC) Hazard(s) not otherwise None known. classified (HNOC) Supplemental information Not applicable.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
d-Limonene		5989-27-5	65-85*
Lanolin		8006-54-0	3-7*
Oils, eucalyptus		8000-48-4	0.1-1*
Paraffin wax		8002-74-2	5-10*
All concentrations are in percent by	y weight unless ingredient is a gas. Gas concer	· ·	
Composition comments	US GHS: The exact percentage (concentratic secret in accordance with paragraph (i) of §19 *CANADA GHS: The exact percentage (conc trade secret.	910.1200.	
	4. First-aid measures		
Inhalation	If symptoms develop move victim to fresh air.	If symptoms persist, obtain m	edical attention.
Skin contact	IF ON SKIN (or hair): Take off immediately all irritation or rash occurs: Get medical attention Wash contaminated clothing before reuse.		
Eye contact	Flush with cool water. Remove contact lenses attention if irritation persists.	s, if applicable, and continue fl	ushing. Obtain medica
Ingestion	Rinse mouth. Do not induce vomiting. If vomit reduce risk of aspiration. Never give anything Obtain medical attention.		
Most important symptoms/effects, acute and delayed	Skin irritation. May cause an allergic skin read	ction. Dermatitis. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre	at symptomatically. Symptoms	s may be delayed.
General information	Ensure that medical personnel are aware of t protect themselves. If you feel unwell, seek m this safety data sheet to the doctor in attenda away from sources of ignition. No smoking. A children. Wear suitable protective clothing.	nedical advice (show the label nce. Wash contaminated cloth	where possible). Show ing before reuse. Keep
	5. Fire-fighting measure	es	
Suitable extinguishing media	Carbon dioxide. Foam. Dry chemical.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b breathing apparatus.	e formed. Firefighters should v	wear a self-contained
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothin Self-contained breathing apparatus and full p		
Fire-fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	olved materials.
General fire hazards	Flammable liquid and vapor.		
Hazardous combustion products	May include and are not limited to: Oxides of	carbon.	
	6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep our spill/leak. Wear appropriate protective equipn damaged containers or spilled material unless inhalation of vapors or mists. Ensure adequat significant spillages cannot be contained. For	nent and clothing during clean s wearing appropriate protection te ventilation. Local authorities	-up. Do not touch ve clothing. Avoid should be advised if
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk sewer, basements or confined areas.		
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground	

	7. Handling and stora	age	
cautions for safe handling	Use only with adequate ventilation. Avoid c repeated skin contact with this material. Av- prolonged exposure. Wear appropriate person hygiene practices. When using do not eat of handling/storage.	oid breathing vapors or i sonal protective equipme	mists of this product. Avoid ent. Observe good industrial
cluding any incompatibilities KEEP OUT OF REACH OF CHILDREN. Keep away from heat and flame. Store in a closed container away from incompatible materials. Store away from incompatible materials (see Sec 10 of the SDS).			
	8. Exposure controls/Persona	al protection	
cupational exposure limits			
Canada. Alberta OELs (Occo Components	upational Health & Safety Code, Schedule Type	1, Table 2) Value	Form
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Safety Regulation 296/97, as			Occupational Health and
Components	Туре	Value	Form
Glycerol (CAS 56-81-5)	TWA	3 mg/m3 10 mg/m3	Respirable mist. Mist.
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Canada. Manitoba OELs (Re Components	eg. 217/2006, The Workplace Safety And He Type	ealth Act) Value	Form
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Canada. Ontario OELs. (Cor Components	ntrol of Exposure to Biological or Chemica Type	ll Agents) Value	Form
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Canada. Quebec OELs. (Min Components	iistry of Labor - Regulation respecting occ Type	cupational health and s Value	afety) Form
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2)	TWA	10 mg/m3 2 mg/m3	Mist. Fume.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL	TWA .s (Occupational Health and Safety Regula	2 mg/m3	
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3 ations, 1996, Table 21)	Fume.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components	TWA .s (Occupational Health and Safety Regula Type	2 mg/m3 ations, 1996, Table 21) Value	Fume. Form
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components	TWA -s (Occupational Health and Safety Regula Type 15 minute	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3	Fume. Form Mist.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS	TWA -s (Occupational Health and Safety Regula Type 15 minute 8 hour	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3	Fume. Form Mist. Mist.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2) US. OSHA Table Z-1 Limits f	TWA -s (Occupational Health and Safety Regula Type 15 minute 8 hour 15 minute 8 hour 6 hour 15 minute	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 4 mg/m3 2 mg/m3	Fume. Form Mist. Mist. Fume. Fume.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2) US. OSHA Table Z-1 Limits f Components	TWA -s (Occupational Health and Safety Regula Type 15 minute 8 hour 15 minute 8 hour for Air Contaminants (29 CFR 1910.1000) Type	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 4 mg/m3 2 mg/m3 Value	Fume. Form Mist. Mist. Fume. Fume. Fume. Form
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2) US. OSHA Table Z-1 Limits f	TWA -s (Occupational Health and Safety Regula Type 15 minute 8 hour 15 minute 8 hour 6 hour 15 minute	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 4 mg/m3 2 mg/m3	Fume. Form Mist. Mist. Fume. Fume.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2) US. OSHA Table Z-1 Limits f Components	TWA -s (Occupational Health and Safety Regula Type 15 minute 8 hour 15 minute 8 hour for Air Contaminants (29 CFR 1910.1000) Type PEL	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 4 mg/m3 2 mg/m3 2 mg/m3 Value 5 mg/m3	Fume. Form Mist. Mist. Fume. Fume. Fume. Respirable fraction.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2) US. OSHA Table Z-1 Limits f Components Glycerol (CAS 56-81-5) US. ACGIH Threshold Limit	TWA -s (Occupational Health and Safety Regula Type 15 minute 8 hour 15 minute 8 hour for Air Contaminants (29 CFR 1910.1000) Type PEL Values	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 4 mg/m3 2 mg/m3 2 mg/m3 5 mg/m3 15 mg/m3	Fume. Form Mist. Mist. Fume. Fume. Fume. Respirable fraction. Total dust.
Paraffin wax (CAS 8002-74-2) Canada. Saskatchewan OEL Components Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-74-2) US. OSHA Table Z-1 Limits f Components Glycerol (CAS 56-81-5) US. ACGIH Threshold Limit Components Paraffin wax (CAS	TWA S (Occupational Health and Safety Regula Type 15 minute 8 hour 15 minute 8 hour for Air Contaminants (29 CFR 1910.1000) Type PEL Values Type TWA	2 mg/m3 ations, 1996, Table 21) Value 20 mg/m3 10 mg/m3 4 mg/m3 2 mg/m3 2 mg/m3 Value 5 mg/m3 15 mg/m3	Fume. Form Mist. Mist. Fume. Fume. Fume. Fume. Form Respirable fraction. Total dust. Form Form

-	ental Exposure Level (WEEL) Guides			
Components	Туре	Value		
d-Limonene (CAS 5989-27-5)	TWA	165.5 mg/m3		
,		30 ppm		
Biological limit values	No biological exposure limits noted t	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
Individual protection measure	s, such as personal protective equipr	nent		
Eye/face protection	Follow standard industrial hygiene p	ractices.		
Skin protection				
Hand protection	Wear protective gloves.			
Other	Wear appropriate chemical resistant	t clothing. As required by employer code.		
Respiratory protection	Wear positive pressure self-containe levels may be exceeded, use an app	ed breathing apparatus (SCBA). Where exposure guideline proved NIOSH respirator.		
Thermal hazards	Not applicable.			
General hygiene considerations	and before eating, drinking, and/or s equipment to remove contaminants.	ene measures, such as washing after handling the material moking. Routinely wash work clothing and protective Contaminated work clothing should not be allowed out of the iks and immediately after handling the product.		

9. Physical and chemical properties

Appearance	Solid bead containing liquid inside
Physical state	Liquid.
Form	Beads
Color	Slightly hazy, Orange
Odor	Citrus Orange
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	112.0 - 116.0 °F (44.4 - 46.7 °C) Setaflash
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Possibility of hazardous reactions	No dangerous reaction known under	conditions of normal use.	
Chemical stability	Stable under recommended storage	conditions.	
Conditions to avoid	Avoid high temperatures. Do not mix with other chemicals.		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition products	May include and are not limited to: C	ixides of carbon.	
	11. Toxicological i	nformation	
Routes of exposure	Eye, Skin contact, Inhalation, Ingesti	on.	
Information on likely routes of e	exposure		
Ingestion	May cause stomach distress, nausea	a or vomiting.	
Inhalation	Prolonged inhalation may be harmful	l.	
Skin contact	Causes skin irritation. May cause an	allergic skin reaction.	
Eye contact	May cause irritation.		
Symptoms related to the physical, chemical and toxicological characteristics	and		
Information on toxicological eff	ects		
Acute toxicity	May cause an allergic skin reaction.		
Components	Species	Test Results	
d-Limonene (CAS 5989-27-5)			
Acute			
Dermal			
LD50	Rabbit	>= 5000 mg/kg, ECHA	
Inhalation LC50	Not available		
Oral LD50	Rat	> 2000 mg/kg, ECHA	
Lanolin (CAS 8006-54-0)	Mat		
Acute			
Dermal			
LD50	Not available		
Inhalation			
LC50	Not available		
Oral			
LD50	Rat	> 16000 mg/kg, HSDB	
Oils, eucalyptus (CAS 8000-48-4)			
Acute			
Dermal LD50	Rabbit	> 5000 mg/kg, ECHA	
Inhalation	Nabbit	> 5000 mg/kg, ECHA	
LC50	Not available		
Oral			
LD50	Rat	3320 mg/kg, ECHA	
Paraffin wax (CAS 8002-74-2)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA	
Inhalation	N 1 1 1		
LC50	Not available		
Oral	Rat		
LD50		> 5000 mg/kg, ECHA	
Skin corrosion/irritation	Causes skin irritation.		
Exposure minutes	Not available.		

	See below	
	12. Ecologi	cal information
Chronic effects	Prolonged inhalation may be	harmful.
Aspiration hazard	Not available.	
Specific target organ toxicity - repeated exposure	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.	
Reproductive toxicity		to cause reproductive or developmental effects.
OSHA Specifically Regulated Not listed.	d Substances (29 CFR 1910.	1001-1052)
d-Limonene (CAS 5989-2	7-5)	Volume 56, Volume 73 - 3 Not classifiable as to carcinogenicity to humans.
IARC Monographs. Overall E	valuation of Carcinogenicit	y
Carcinogenicity	This product is not considere Non-hazardous by WHMIS/0	ed to be a carcinogen by IARC, ACGIH, NTP or OSHA. DSHA criteria.
Mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Skin sensitization	May cause an allergic skin re and dermatitis.	eaction. Prolonged or repeated exposure can cause drying, defatting
Respiratory sensitization	Not available.	
Glycerol (CAS 56-81-5)		Irritant
Canada - Alberta OELs: Irrita	ant	
Respiratory or skin sensitization		
Recover days	Not available.	
Conjunctival oedema value	Not available.	
Conjunctival reddening value	Not available.	
Iris lesion value	Not available.	
Corneal opacity value	Not available.	
Serious eye damage/eye irritation	May cause irritation.	
Oedema value	Not available.	

Ecotoxicity	See below		
Ecotoxicological data Components		Species	Test Results
d-Limonene (CAS 5989-27-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/L, 96 hours
Glycerol (CAS 56-81-5)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/L, 96 hours
Persistence and degradability	No data is ava	ailable on the degradability of this product.	
Bioaccumulative potential	No data availa	able.	
Mobility in soil	No data availa	able.	
Mobility in general	Not available.		
Other adverse effects		erse environmental effects (e.g. ozone depl ocrine disruption, global warming potential)	
	•	13. Disposal considerations	
Disposal instructions		claim or dispose in sealed containers at lic ainer in accordance with local/regional/national	
Local disposal regulations	Dispose in ac	cordance with all applicable regulations.	

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
	14. Transport information
Transport of Dangerous Goods	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of
(TDG) Proof of Classification	Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
General	DOT - 49 CFR 173.150 (f) - Combustible Liquid Exemption
U.S. Department of Transportati	on (DOT)
Not regulated as dangerous g	loods.
Transportation of Dangerous Go	oods (TDG - Canada)
Basic shipping requirement	
UN number	UN1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S.
Technical name	d-Limonene
Hazard class	3
Subsidiary hazard class	Limited Quantity - Canada
Packing group	
Special provisions	16, 150
Packaging exceptions	<5L - Limited Quantity
	15. Regulatory information
Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
Canada NPRI VOCs with Ad	ditional Reporting Requirements: Mass reporting threshold/Identification Number
d-Limonene (CAS 5989-2	
Export Control List (CEPA 1	999, Schedule 3)
Not listed.	
Greenhouse Gases	
Not listed.	
Precursor Control Regulation	ons
Not regulated.	

WHMIS 2015 ExemptionsNot applicableUS federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication
Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)


Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

SARA 302 Extremely hazardous substance

SARA 311/312 Hazardous	Yes		
chemical Classified hazard categories	Flammable (gases, aerosol: Skin corrosion or irritation Serious eye damage or eye Respiratory or skin sensitiza	irritation	
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pollutar	its (HAPs) List	
	n 112(r) Accidental Release I	Prevention (40 CFR 68.130)	
Not regulated.			
US state regulations			
US - California Hazardous S	Substances (Director's): List	ed substance	
Paraffin wax (CAS 8002- US - Minnesota Haz Subs: L	,	Listed.	
Glycerol (CAS 56-81-5)		Listed.	
Paraffin wax (CAS 8002-	,	Listed.	
US - Texas Effects Screenir	•		
d-Limonene (CAS 5989-2 Glycerol (CAS 56-81-5)	27-5)	Listed. Listed.	
Lanolin (CAS 8006-54-0)		Listed.	
Oils, eucalyptus (CAS 8000-48-4)		Listed.	
Paraffin wax (CAS 8002-	74-2)	Listed.	
US. Massachusetts RTK - S	ubstance List		
Glycerol (CAS 56-81-5)			
Paraffin wax (CAS 8002-	,		
•	I Community Right-to-Know	Act	
Glycerol (CAS 56-81-5) Paraffin wax (CAS 8002-	74.2)		
	nd Community Right-to-Kno	w Law	
Glycerol (CAS 56-81-5) Lanolin (CAS 8006-54-0) Paraffin wax (CAS 8002- US. Rhode Island RTK	1		
Glycerol (CAS 56-81-5)			
Lanolin (CAS 8006-54-0) Paraffin wax (CAS 8002-			
US. California Proposition 6 This product is not subject		e California Proposition 65 regulation.	
Inventory status			
Country(s) or region	Inventory name		On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances	-	No
United States & Puerto Rico	Toxic Substances Control A		Yes
		the inventory requirements administered by the g	
	16. Othe	er information	



Disclaimer	The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.
Issue date	07-June-2021
Version #	04
Effective date	07-June-2021
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021
Further information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Other information	Redbook revision # 4, 5/14/18