

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024) Issue date: 10/23/2025 Version: 1.0

SECTION 1 Identification

1.1. GHS Product identifier

Trade name : Dryel At Home Dry Cleaner

CAS-No. : Mixture

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

1.4. Supplier's details

Iron Out dba Summit Brands 6714 Pointe Inverness Way, Suite 200 Fort Wayne, IN, 46804-7935 USA T 260-483-2519

1.5. Emergency phone number

Emergency number : 1-800-424-9300 (CHEMTREC)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA/US)

Flammable liquids, Category 4 Combustible liquid.

2.2. GHS label elements, including precautionary statements

GHS CA/US labeling

Signal word (GHS CA/US) : Warning

Hazard statements (GHS CA/US) : Combustible liquid

Precautionary statements (GHS CA/US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective clothing, eye and face protection.

In case of fire: Use carbon dioxide (CO2), alcohol resistant foam, dry sand, foam to extinguish.

Store in a well-ventilated place.

Dispose of contents and/or container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulations.

Supplementary information

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Petroleum distillates, hydrotreated light	Hydrotreated light distillate / Kerosene, hydrotreated / Petroleum distillates, hydrotreated light (A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9-16 and boiling in the range of approximately 150-290°C.) / Odorless light petroleum hydrocarbons / c13-14 isoparaffin / Destillate (Erdöl), mit Wasserstoff behandelt leichte (C9-14 Aliphaten) / Light Aliphatic Hydrocarbon / Distillates, petroleum, hydrotreated light	CAS-No.: 64742-47-8	80 - 100

Comments

: All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of December 2022.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.
First-aid measures after ingestion	: Do not induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Prolonged inhalation may be harmful.

Symptoms/effects after skin contact : Prolonged or repeated contact may dry skin and cause irritation.

Symptoms/effects after eye contact : Direct contact with eyes may cause temporary irritation.

Symptoms/effects after ingestion : May cause stomach distress, nausea or vomiting.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry chemical powder. Water spray.

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid. During fire, gases hazardous to health may be formed. In case of fire or

explosion do not breathe fumes.

Explosion hazard No direct explosion hazard.

Hazardous decomposition products in case of fire May include and are not limited to: oxides of carbon.

5.3. Special protective actions for fire-fighters

Firefighting instructions : In case of fire: Stop leak if safe to do so. Do not enter fire area without proper protective

equipment, including respiratory protection. Move containers from fire area if it can be done

without personal risk.

Protection during firefighting Self-contained breathing apparatus. Complete protective clothing.

Precautionary measures fire Keep away from combustible materials.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Keep unnecessary personnel away.

For personal protection, see section 8 of the SDS.

Personal Precautions, Protective Equipment and : Avoid contact with skin and eyes. Wash thoroughly after handling. Keep people away from and **Emergency Procedures**

upwind of spill/leak.

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams.

: Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Methods for cleaning up

Clean contaminated surfaces with an excess of water.

Other information This material and its container must be disposed of in a safe way, and as per local legislation.

Refer to product label for disposal instructions.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing vapors. Do not taste or swallow. Handle and

open container with care.

Local and general ventilation Ensure adequate ventilation.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Storage conditions

Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store

away from incompatible materials (see Section 10 of the SDS).

Incompatible materials Strong oxidizing agents.

Packaging materials Store always product in container of same material as original container.

10/23/2025 (Issue date) CA/US 3/7

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Materials for protective clothing:

Not normally required when used as directed.

Hand protection:

Use neoprene or rubber gloves. Confirm with a reputable supplier first.

Eye protection:

Not normally required when used as directed.

Skin and body protection:

Not normally required when used as directed

Respiratory protection:

Ensure adequate ventilation

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Appearance : Towel.
Color : white
Odor : Floral

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : 217.77 – 257.22 °C

Flash point : 90.6 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20°C : No data available

Relative density : 0.81

Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

Viscosity, kinematic : No data available
Explosion limits : No data available
Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Do not mix with other chemicals. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources, unless using as instructed.

Incompatible materials : Strong oxidizing agents.

Hazardous decomposition products : May include and are not limited to: oxides of carbon.

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Petroleum distillates, hydrotreated light (64742-47-8)	
LD50 oral rat	> 5000 mg/kg (Source: IUCLID)
LD50 dermal rabbit	> 2000 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5.2 mg/l/4h

Skin corrosion/irritation : Not classified Serious eye damage/irritation Not classified Not classified Respiratory or skin sensitization Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Not classified STOT-single exposure STOT-repeated exposure Not classified Aspiration hazard Not classified

Symptoms/effects after inhalation : Prolonged inhalation may be harmful.

Symptoms/effects after skin contact : Prolonged or repeated contact may dry skin and cause irritation.

Symptoms/effects after eye contact : Direct contact with eyes may cause temporary irritation. Symptoms/effects after ingestion : May cause stomach distress, nausea or vomiting.

SECTION 12 Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute

: Not classified.

Hazardous to the aquatic environment, long-term

: Not classified.

(chronic)

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

Petroleum distillates, hydrotreated light (64742-47-8)	
LC50 - Fish [1]	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: IUCLID)
LC50 - Fish [2]	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)

12.2. Persistence and degradability

Petroleum distillates, hydrotreated light (64742-47-8)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Petroleum distillates, hydrotreated light (64742-47-8)	
BCF - Fish [1]	61 – 159

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose of the material collected according to regulations. Refer to product label for disposal

instructio

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

SECTION 14 Transport information

In accordance with TDG / DOT

TDG	DOT	
14.1. UN Number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not regulated	Not regulated	
14.3. Transport hazard class(es)		
Not regulated	Not regulated	
14.4. Packing group, if applicable		
Not regulated	Not regulated	
14.5. Environmental hazards		
Not regulated	Not regulated	
No supplementary information available		

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/789(^9) and the IBC Code(^10)

Not applicable

SECTION 15 Regulatory information

All components of this product are present on DSL

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

())		
Benzene, (tetrapropenyl) derivs.	CAS-No. 68512-02-7	< 0.1%
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	CAS-No. 55965-84-9	< 0.1%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-(128-37-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16 Other Information

Issue date : 10/23/2025

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.